


冷变器 HF650LC 列

使 书 : 1.08




书交 , 妥善保存。

份 公司
Wuhan Guide Technology Co., Ltd.



.....	1	
.....	1	
.....	2	
.....	3	
.....	3	
.....	4	
.....	4	
.....	4	
.....	6	
.....	7	
.....	9	
.....	11	
.....	13	
.....	14	
.....	15	
.....	15	
.....	18	
.....	18	
.....	19	
.....	20	
.....	21	
.....	22	
.....	24	
.....	24	
.....	27.....	1
.....	30	
.....	30	
.....	31	


.....	58
.....	59
.....	59
.....	59
.....	59
.....	62
.....	64
.....	66
.....	68
.....	71
.....	74
.....	77
.....	80
.....	83
.....	85
.....	87
.....	89
.....	91
.....	94
.....	97
.....	100
.....	103
.....	108
.....	113
.....	118
.....	123
.....	124
.....	134
.....	134
.....	134
.....	134
.....	135
.....	136
.....	136
.....	137
.....	140
.....	142
.....	144
.....	147
.....	151
.....	152
.....	152
.....	153
.....	157
.....	158
.....	158
.....	159
.....	160
.....	160
.....	160



GUIDE



- a. 型, 型不 可 会 变 器 坏。
b. 不 任何 坏 件 变 器, 否则 受伤 危 。




型号: HF650LC-250-4


额定功率: 250kW


变频器

额定电压: 380V


输入: AC3PH 380V/480V 50/60Hz







24° 闷头连接件，
用于符合DIN 2353-L的管道连接/管道直径18






-
-
-
-
-
-

•

•

•


•


•


•


•

•
















门板厚度	螺钉长度	门板厚度	螺钉长度
$\delta = 0.8$	M4×6	$\delta = 2.0$	M4×6
$\delta = 1.0$	M4×6	$\delta = 2.5$	M4×8
$\delta = 1.2$	M4×6	$\delta = 3.0$	M4×8
$\delta = 1.5$	M4×6	$\delta = 4.0$	M4×10










		







--	--	--	--	--	--

--	--	--	--












	




1 2 3













FWD	0.00Hz	0.00A	N N
电机速度 [Hz]	0.00		
Hz			
给定频率 [Hz]	10.00		
Hz			
母线电压	453.50		
V			
选项	00:09	菜单	










v@ñfä



٤١٥

F&E

√“†R à " ° ó—Ÿ


3 €U



Λ





[illegible]

[illegible]

၁၃၀ မြို့ပုံပြင်







$$I_a + I_b + I_c$$

$$\frac{I_a + I_b + I_c}{P} > P$$

à

à

|

f

Èf

.f

√

+


+


√


+


+

Ä













#€10

G+X










À

Y V E1 !, - B Q E i \$ B - Λ,) i Q. 9 C Λ g d,) E K i \$ B - Λ, -

IM

Q 100

冷变器 HF650LC 列
使 书 : 1.08



份 公司
Wuhan Guide Technology Co., Ltd.